



brother

JANOME

308 West Main Street
Arlington, TX 76010
Monday - Friday 9:30 AM - 6:00 PM
Saturday 9:30 AM - 3:00 PM
(817) 460-4992

Scan N Cut Applique & Piecing

Requirement: Intro to The Scan N Cut

Must be familiar with maneuvering around in the screen of the Scan N Cut

Kit Includes: One Cardstock, Copy of Dog and Cat for Scanning Appliqué

Techniques Covered in Class

1. **Drawing with Pens on Cardstock**

Designs: AR-J013, AR-J014 use rotate & size features to create an all-over design pattern. Use Mid Tack Mat.

2. **Applique** – 4 colors of fabric. Use Standard Mat

Apply “Iron-On Fabric Applique Contact Sheet” to 6” x 6” squares of fabric. Remove backing paper

A. Choose design AP-A021 (page 2, second icon over – Sunbonnet Sue/Dresden Plate) Settings 4.5 blade & 4 cut pressure

B. Scan the dog or cat using the scanning mat. Save to the machine or USB.

Retrieve from memory in the Pattern mode and cut from appliqué prepared fabric using settings from design AP-A021 above.

3. **Welding** – Bring in a square and a circle from the shape section.

Select the Square and enlarge to 8.75” and then select a Circle and enlarge to 6.25” H x 8.75” W. Use Aspect Ratio and unlock for the circle only.



NOTE: Need to move shape to center in order to enlarge.

A. Place the circle so it is half way down into the square at the top, select all, and use the welding feature to create. See Diagrams below.

B. Place High Tack Adhesive Fabric Support Sheet (green or blue) on one Standard mat using an old gift card.

C. Place one piece of starched 100% cotton fabric right side up and smooth using a brayer or the handle of the spatula.

D. Settings: Blade – 4, Cut Pressure 4



4. **Fabric for Block Cutting** (two 12" x 12" fabric). Use Standard Mat with High Tack Adhesive Fabric Support Sheet (green or blue).

A. Settings: Blade – 4, Cut Pressure 4, Wrench check "Seam Allowance" should be $\frac{1}{4}$ "

1. PA-B025, Resize for a 9" block, OK (Page 2, Quilt Blocks, 2nd category)
2. 347
3. Select Lt Turq square piece "A", OK, NOTE: Number "4" (the block will need 4 of these pieces) "Set". **NOTE:** The $\frac{1}{4}$ " seam allowance has automatically been added.
4. "Add"
5. Select Lt Turq Triangle "B", OK, NOTE: Number "4" (the block will need 4 of these pieces). "Set", "OK"
6. "Cut"

NOTE: The blue line is if you choose to draw the seam line with blue or purple marking pen. The black line is the cutting line.

7. Repeat for Dark Turq Rectangle "C" and Square "D" as in steps 2-5 above.

B. **Hexagon Coasters** (one 12" x 12" fabric) Yields 2 coasters. Settings: Blade – 4, Cut Pressure

1. Shapes Category – Select Pattern page 3 and select the hexagon shape BA-A044
2. Adjust size to measure 4"
3. Select the seam allowance icon to have the $\frac{1}{4}$ " seam allowance added (check the wrench button to make sure the seam allowance setting is $\frac{1}{4}$ ".) Increase the number from 1 to 4, so the four can be cut from the fabric.
4. Select the scan icon on the screen and then OK and then Start/Stop. This will show the fabric for arranging the hexagons.
5. Rearrange each hexagon so each one is on the fabric and within the boundaries. Then click OK, Cut and Start/Stop.
6. Remove your 4 hexagons and repeat the steps above to cut out more if you would like a set of 4.

***Be sure to change settings using the Wrench Icon before shutting off your Scan N Cut**



brother

JANOME

308 West Main Street
Arlington, TX 76010
Monday - Friday 9:30 AM - 6:00 PM
Saturday 9:30 AM - 3:00 PM
(817) 460-4992

Email Links

ScanNCut Web Site – <http://www.brother-usa.com/ScanNCut>

ScanNCut Canvas – <https://scanncutcanvas.brother.com/en> (Must establish an account)

SVG Cuts – <http://svgcuts.com/blog/> (Free patterns)

Brother Creative Center – http://www.brother.com/creativecenter/en_us/home